

Condisal

Rehardener for RO water or natural soft water

KEY CHARACTERISTICS

- Dosage: up to 0,5 %
- Concentrate
- For sheetfed, heatset and coldset application
- pH value: 7,1
- Adjusts process water to a definite water hardness

PACKAGING

1000L IBC
600L IBC
200L plastic drum
25L jerrycan
10L jerrycan

INSTRUCTIONS FOR USE

With addition of 0,5 % rehardner to demineralized or reverse osmosis water, the water hardness will be increased by 10 °dH. Will be water used with higher or lower total hardness the water can be adjusted to the required circumstances.

TRANSPORT & STORAGE

Protect against extreme weather conditions.

Do not store at temperature above 35 °C or below -10 °C.

Take all necessary precautions to avoid environmental pollution due to accidental leakage.

FEATURES AND BENEFITS

Universal in use

- Compatible with all fountain concentrates

Consistent water quality

- Water quality will be kept stable
- Stable ink-water balance
- Constant print quality
- Constant pH and conductivity of the fountain solution

Version 1.0, state 19/09/2011 - All data contained in this technical information sheet is based upon lab tests and practical experience. The user is aware that user specific circumstances may influence the results. This technical information sheet is made for information purposes only and it does not constitute a warranty or guarantee in relation to the correctness or completeness of the data. Errors, omissions and literal mistakes excepted, subject to modifications at any time. The user acknowledges that the data contained herein is only effective as long as no updated technical information sheet is issued which replaces and supersedes any former version of this technical information sheet.