

RKE

Acidic cleaning agent for plate developing machines and tanks

KEY CHARACTERISTICS

- Specific density: 1,098 g/ml
- Water based
- pH value: 0,6
- Removes coating and developer residues as well as limescale

FEATURES AND BENEFITS

Strong cleaning action

- Economical in use
- Less standstills

PACKAGING

10L jerrycan

INSTRUCTIONS FOR USE

Drain the system. Fill half of the tank with RKE and allow to circulate for 10 minutes. Move the plate holder frequently in the cleaning agent. In case of heavy soiling, repeat the cleaning process. After cleaning, drain off RKE and rinse thoroughly several times with water. Make sure you wear gloves.

TRANSPORT & STORAGE

Protect against extreme weather conditions.

Do not store at temperature above 35 °C or below -10 °C.

Take all necessary precautions to avoid environmental pollution due to accidental leakage.

Version 1.0, state 1/10/2012 - All data contained in this technical information sheet is based upon lab tests and practical experience. The user is aware that user specific circumstances may influence the results. This technical information sheet is made for information purposes only and it does not constitute a warranty or guarantee in relation to the correctness or completeness of the data. Errors, omissions and literal mistakes excepted, subject to modifications at any time. The user acknowledges that the data contained herein is only effective as long as no updated technical information sheet is issued which replaces and supersedes any former version of this technical information sheet.